


WYAMZ Clavet Station - March 2024 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Objective	Exceed Days	Maximum		SAAQS Objective	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	0.9	100.0%	3.4	Mar-4	-	-	32.2	Mar-04 16:00	-	-
NO ₂	ppb	2.9	100.0%	8.0	Mar-8	106	0	22.8	Mar-08 01:00	159	0
NO _x	ppb	3.8	100.0%	10.3	Mar-8	-	-	41.5	Mar-04 16:00	-	-
O ₃	ppb	34.9	100.0%	40.8	Mar-10	-	-	54.5	Mar-11 18:00	82	0
PM _{2.5}	ug/m3	4.2	100.0%	10.7	Mar-12	28	0	26.7	Mar-07 09:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards




Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards.
- *All compliance parameters were more than 90% operational for the month.



WYAMZ Clavet Station - March 2024 Summary Report




Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	kph	$0.3 \leq WS < 1.4$	$1.4 \leq WS < 3.1$	$3.1 \leq WS < 7.8$	$7.8 \leq WS < 10.8$	$10.8 \leq WS < 13.6$	$WS \geq 13.6$	
NO ₂	ppb	$0 \leq C < 5$	$5 \leq C < 15$	$15 \leq C < 30$	$30 \leq C < 100$	$100 \leq C < 212$	$C \geq 212$	
O ₃	ppb	$0 \leq C < 10$	$10 \leq C < 20$	$20 \leq C < 40$	$40 \leq C < 60$	$60 \leq C < 82$	$C \geq 82$	
PM _{2.5}	ug/m ³	$0 \leq C < 2$	$2 \leq C < 4$	$4 \leq C < 10$	$10 \leq C < 20$	$20 \leq C < 30$	$C \geq 30$	

WYAMZ Kerrobert Station - March 2024 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS	Exceed Days	Maximum		SAAQS Objective	Exceed Hours
				Conc.	Time	Conc.		Time			
SO ₂	ppb	-	100.0%	0.2	Mar-5	48	0	0.4	Mar-08 12:00	172	0
H ₂ S	ppb	-	100.0%	0.5	Mar-30	3.6	0	1.3	Mar-30 07:00	11	0
PM _{2.5}	ug/m3	3.8	97.6%	10.7	Mar-14	28	0	17.3	Mar-14 08:00	-	-



SAAQS: Saskatchewan Ambient Air Quality Standards



Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards.
- *All compliance parameters were greater than 90% operational for the month.
- *2 hours of data for WS and WD flagged as "analyzer failure" due to flatlined data.
- *18 hour of data for PM_{2.5} flagged as "analyzer failure" due intermittent spikes and elevated concentrations.

WYAMZ Kerrobert Station - March 2024 Summary Report




Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class					
Wind Speed	kph	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30



WYAMZ Maidstone Station - March 2024 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Objective	Exceed Days	Maximum		SAAQS Objective	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	-	0.0%	< 0.1	-	-	-	< 0.1	-	-	-
NO ₂	ppb	-	0.0%	< 0.1	-	106	0	< 0.1	-	159	0
NO _x	ppb	-	0.0%	< 0.1	-	-	-	< 0.1	-	-	-
SO ₂	ppb	0.5	100.0%	1.3	Mar-27	48	0	7.6	Mar-24 22:00	172	0
H ₂ S	ppb	0.2	100.0%	0.5	Mar-17	3.6	0	2.1	Mar-07 11:00	11	0
PM _{2.5}	ug/m3	4.7	100.0%	10.8	Mar-12	28	0	33.6	Mar-07 07:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards




Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards.
- *All compliance parameters were greater than 90% operational, except NO/NO_x/NO₂.
- *All NO/NO_x/NO₂ data was flagged as "analyzer failure" due to the removal of the analyzer from service on August 24th, 2023.



WYAMZ Maidstone Station - March 2024 Summary Report












Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	kph	0.3 ≤ WS < 1.4	1.4 ≤ WS < 3.1	3.1 ≤ WS < 7.8	7.8 ≤ WS < 10.8	10.8 ≤ WS < 13.6	WS ≥ 13.6	
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172	
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212	
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 10.8	C ≥ 10.8	
PM _{2.5}	ug/m ³	0 ≤ C < 2	2 ≤ C < 4	4 ≤ C < 10	10 ≤ C < 20	20 ≤ C < 30	C ≥ 30	



WYAMZ Meadow Lake City Station - March 2024 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Objective	Exceed Days	Maximum		SAAQS Objective	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	0.8	99.9%	4.3	Mar-9	-	-	47.0	Mar-09 09:00	-	-
NO ₂	ppb	3.3	99.9%	13.1	Mar-9	106	0	35.1	Mar-09 09:00	159	0
NO _x	ppb	4.2	99.9%	17.4	Mar-9	-	-	82.1	Mar-09 09:00	-	-
O ₃	ppb	35.0	100.0%	43.8	Mar-10	-	-	52.0	Mar-09 15:00	82	0
PM _{2.5}	ug/m3	3.3	100.0%	13.6	Mar-8	28	0	32.8	Mar-08 18:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards




Monthly Update

- *All data has been slope, intercept, and baseline corrected. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards.
- *All compliance parameters were greater than 90% operational.
- *1 hour of data was flagged as "power failure" for NO/NO2/NOX due to a power issue to the analyzer.



WYAMZ Meadow Lake City Station - March 2024 Summary Report







Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	kph	$0.3 \leq WS < 1.4$	$1.4 \leq WS < 3.1$	$3.1 \leq WS < 7.8$	$7.8 \leq WS < 10.8$	$10.8 \leq WS < 13.6$	$WS \geq 13.6$	
NO ₂	ppb	$0 \leq C < 5$	$5 \leq C < 15$	$15 \leq C < 30$	$30 \leq C < 100$	$100 \leq C < 212$	$C \geq 212$	
O ₃	ppb	$0 \leq C < 10$	$10 \leq C < 20$	$20 \leq C < 40$	$40 \leq C < 60$	$60 \leq C < 82$	$C \geq 82$	
PM _{2.5}	ug/m ³	$0 \leq C < 2$	$2 \leq C < 4$	$4 \leq C < 10$	$10 \leq C < 20$	$20 \leq C < 30$	$C \geq 30$	



Cenovus Energy Inc East Station - March 2024 Summary Report


Pollutants		Month Records		24-Hour Records				1-Hour Records			
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		SAAQS Standards	Exceed Days	Maximum		SAAQS Standards	Exceed Hours
				Conc.	Time			Conc.	Time		
NO	ppb	0.7	100.0%	2.1	Mar-6	-	-	10.2	Mar-06 09:00	-	-
NO ₂	ppb	4.4	100.0%	11.4	Mar-11	106	0	25.7	Mar-07 00:00	159	0
NO _x	ppb	5.1	100.0%	13.0	Mar-11	-	-	32.0	Mar-06 08:00	-	-
SO ₂	ppb	0.5	100.0%	2.0	Mar-4	48	0	5.7	Mar-15 06:00	172	0
H ₂ S	ppb	0.1	100.0%	0.3	Mar-9	3.6	0	3.3	Mar-30 05:00	11.0	0
THC	ppm	2.3	100.0%	3.7	Mar-16	-	-	10.7	Mar-11 05:00	-	-

SAAQS: Saskatchewan Ambient Air Quality Standards



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class						
Wind Speed	km/hr	1 ≤ WS < 5	5 ≤ WS < 10	10 ≤ WS < 20	20 ≤ WS < 30	30 ≤ WS < 40	WS ≥ 40	
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172	
NO ₂	ppb	0 ≤ C < 5	5 ≤ C < 15	15 ≤ C < 30	30 ≤ C < 100	100 ≤ C < 212	C ≥ 212	
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 11	C ≥ 11	
THC	ppm	0 ≤ C < 1	1 ≤ C < 2	2 ≤ C < 3	3 ≤ C < 4	4 ≤ C < 5	C ≥ 5	

Cenovus Energy Inc East Station - March 2024 Summary Report





Monthly Update

- *Air monitoring data has been validated. Data may change after validation process.
- *All compliance parameters were within the Saskatchewan Ambient Air Quality Standards.
- *All compliance parameters were >90% operational.
- *40 hours of data were flagged as "frozen" for WS and WD due to cold temperatures freezing the wind analyzer head.
- *Station was calibrated on March 12 and 13, 2024.

Genovus Energy Inc West Station - March 2024 Summary Report

Pollutants		Month Records		24-Hour Records				1-Hour Records				
Name	Conc. Unit	Avg. Conc.	Uptime	Maximum		AAAQO / SAAQS	Exceed Days	Minimum Conc.	Maximum		AAAQO / SAAQS	Exceed Hours
				Conc.	Time				Conc.	Time		
SO ₂	ppb	0.8	99.7%	2.8	Mar-28	48 / 48	0 / 0	-0.4	21.2	Mar-28 04:00	172 / 172	0 / 0
H ₂ S	ppb	0.1	99.7%	0.7	Mar-11	3 / 3.6	0 / 0	-0.4	4.0	Mar-11 08:00	10 / 11.0	0 / 0

AAAQO: Alberta Ambient Air Quality Objectives; SAAQS: Saskatchewan Ambient Air Quality Standards.



Parameters	Unit	Color Code for Wind Spd & Pollutant Conc. Class					
Wind Speed	km/hr	1 ≤ WS < 5	5 ≤ WS < 10	10 ≤ WS < 20	20 ≤ WS < 30	30 ≤ WS < 40	WS ≥ 40
SO ₂	ppb	0 ≤ C < 1	1 ≤ C < 5	5 ≤ C < 10	10 ≤ C < 57	57 ≤ C < 172	C ≥ 172
H ₂ S	ppb	0 ≤ C < 1	1 ≤ C < 3.6	3.6 ≤ C < 5	5 ≤ C < 8	8 ≤ C < 11	C ≥ 11

Monthly Update

- *Air monitoring data has been validated. Data may change after validation process.
- *All compliance parameters were within the Alberta Ambient Air Quality Objectives and the Saskatchewan Ambient Air Quality Standards.
- *All compliance parameters were >90% operational.
- *1 hour flagged as "span" for SO₂ and H₂S due to a manual span initiated to resolve abnormally high span targets.
- *1 hour flagged as "maintenance" for SO₂ and H₂S due to an abnormally high span target resulting in a technician on site.
- *Station was calibrated on March 11, 2024.